

2020 Canadian Computing Olympiad

Day 2, Problem 3

Shopping Plans

Time Limit: 2 seconds

Problem Description

You are shopping from a store that sells a total of N items. The i -th item has a *type* a_i which is an integer between 1 and M . A feasible shopping plan is a subset of these items such that for all types j , the number of items of type j is in the interval $[x_j, y_j]$.

The i -th item in the store has a cost of c_i , and the cost of a shopping plan is the sum of the costs of items in the plan. You are interested in the possible costs of feasible shopping plans. Find the costs of the K cheapest feasible shopping plans. Note that if there are two different shopping plans with the same cost, they should be counted separately in the output.

Input Specification

The first line consists of three space-separated integers N , M , and K ($1 \leq N, M, K \leq 200\,000$). N lines follow, the i -th of which contains two space-separated integers a_i and c_i ($1 \leq a_i \leq M$, $1 \leq c_i \leq 10^9$). M lines follow, the j -th of which contains two space-separated integers x_j and y_j ($0 \leq x_j \leq y_j \leq N$).

For 5 of the 25 marks available, $x_j = y_j = 1$ and $N, M, K \leq 4000$.

For an additional 5 of the 25 marks available, $x_j = y_j = 1$ and $N, M, c_i \leq 4000$.

For an additional 5 of the 25 marks available, $x_j = y_j = 1$.

For an additional 5 of the 25 marks available, $x_j = 0$.

Output Specification

Output K lines. On the i -th line, output the cost of the i -th cheapest feasible shopping plan, if one exists, or -1 if there are fewer than i feasible shopping plans.

Sample Input 1

```
5 2 7
1 5
1 3
2 3
1 6
2 1
1 1
1 1
```

Output for Sample Input 1

4
6
6
7
8
9
-1

Explanation of Output for Sample Input 1

A feasible shopping plan must combine exactly one item with a cost in $\{5, 3, 6\}$ with exactly one item with a cost in $\{3, 1\}$.