

Task Mađioničar

You might have heard that in his free time, Mr. Malnar does magic. His recent appearance in the famous TV show *Penn & Teller: Fool Us* took the world by storm. He introduced himself as *The Magical Mr. Malnar*, pulled off an incredible mentalist trick, and swept everyone off their feet.

He started off by calling up an eager volunteer from the audience and asking them to think of any string of their choice that consists of exactly N letters. He then proceeded to entertain the audience, occasionally glancing at the volunteer, and at the end he declared: “the longest sub-palindrome¹ of your string has length L ”. After the volunteer confirmed this is indeed correct, the audience was stunned.

However, observant viewers and close friends of Mr. Malnar suspect this was not mind reading, but a clever selection of words that, when combined with excellent reading of facial expressions, gives away enough information to pull off the trick.

While it seemed like Mr. Malnar was merely fooling around, from time to time he would mention some interval of numbers $[l, r]$, where $1 \leq l \leq r \leq N$ and briefly glance at the volunteer. There are rumors saying he is able to determine whether or not the substring of the volunteer’s string that consists of the l -th through the r -th letter (inclusive) is a palindrome, based on their facial expression alone.

You need to write a program which will confirm that Mr. Malnar, if the rumors are true, was able to gather enough information to determine the longest sub-palindrome of the secret string chosen by the volunteer.

Interaction

This is an interactive task. Your program must communicate with a program made by the organizers which simulates the behaviour of the volunteer from the task description.

Before interaction, your program should read an integer N , the length of the secret string, from the standard input task statement.

After that, your program can send query requests by writing to the standard output. Each query must be printed in a separate line and have the form “? $l\ r$ ”, where $1 \leq l \leq r \leq N$ holds. After each query has been written, your program should **flush** the output and read the *answer* from the standard input. The answer is a 1 if the substring $[l, r]$ is a palindrome, or 0 if it’s not. **Your program can make at most 200 000 such queries.**

After your program has deduced the length of the longest sub-palindrome, it should write a line to the standard output in the form “! L ”, where L is the said length. After that, your program should *flush* the output once more and gracefully terminate its execution.

Note: You can download the sample source code from the judging system that performs the interaction correctly, including the output flush.

¹ A *palindrome* is a string that reads the same backward or forward. A *substring* of a string is a string made up from the l -th through the r -th letter of that string, for some $1 \leq l \leq r \leq N$. A *sub-palindrome* is a substring which is also a palindrome.



Scoring

Subtask	Score	Constraints
1	13	$1 \leq N \leq 7\,500$
2	25	$1 \leq N \leq 65\,000$
3	25	$1 \leq N \leq 100\,000$, the secret string consists of letters a and b only
4	37	$1 \leq N \leq 100\,000$

Interaction Example

Output	Input	Comment
	5	The secret string has length 5. In this example, the volunteer chose the string neven .
? 1 1	1	Substring n is a palindrome.
? 2 3	0	Substring ev isn't a palindrome.
? 2 4	1	Substring eve is a palindrome.
? 3 5	0	Substring ven isn't a palindrome.
? 1 5	1	Substring neven is a palindrome.
! 5		Correct, the longest sub-palindrome is the whole string neven .